# Index to Volume 71

## The Journal of Heredity, 1980


Abdominal pile color dimorphism in the bumble bee, *Bombus melanopygus*, R. E. Owen and R. C. Plowright, 241.

Abedin, K., et al., Murine arylsulfatase B; evidence favoring control of liver and kidney activity by two regulatory elements, 161.

Adalsteinsson, S. and Ó. R. Dýrmundsson, Coat-color gene suppresses sexual activity in Icelandic sheep, 363.

Adams, W. T. and R. J. Joly: Genetics of allozyme variants in loblolly pine, 33; Linkage relationships among twelve allozyme loci in loblolly pine, 199.

Additional evidence for the close linkage of *Amy-1* and *Amy-2* in the mouse, J. H. Bloor and M. H. Meisler, 449.

Ahmad, M., et al., Mutant allele frequencies and genetic distance in cat populations of Pakistan and Asia, 323.

Ahuja, M. R., et al., Linkage between a regulatory locus for melanoma cell differentiation and an esterase locus in *Xiphophorus*, 403.

Allard, R. W. and M. J. Garber, Mid-arm recombination fractions, 211.

Alphabetical list of the genes of domestic fowl, R. G. Somes, Jr., 168.

Alteration of sporophytic sterility mechanism in wheat, S. S. Maan, 75.

Analysis of a marine fish cell line from a male sheepshead, P. E. Gregory, P. N. Howard-Peebles, R. D. Ellender, and B. J. Martin, 209.

Anatomy of the human genome, V. A. McKusick, 370.

Anders, F., et al., Linkage between a regulatory locus for melanoma cell differentiation and an esterase locus in *Xiphophorus*, 403.


### Animal Genetics


Apple maggot: genetics of allozymes, 63.

Birds: comparative molecular evolution in New World warblers and rodents, 303.

Bumble bee: abdominal pile color dimorphism, 241.

Caprini: chromosomal evolution, 110.

Cats: biochemical genetic variation, 3; XXY male Burmese, 52; mutant allele frequencies and genetic distance in cat populations of Pakistan and Asia, 323; gene frequencies in Marion Island feral cats, 366; melanin inhibitor: a dominant gene, 427.

Cattle: cytogenetic survey of five breeds from Brazil, 146; a wild-type standard in coat color genetics, 442.

Dog: R-banding of canine karyotype, 361.

*Drosophila:* effects of male genotype on some aspects of population dynamics in lozenge-Muller-5 system of *D. melanogaster*, 235; genetic resistance to aflatoxin $B_1$ toxicity in *D. melanogaster*, 275; sterility due to nucleo-cytoplasmic interactions in *D. melanogaster*, 349; banding of somatic chromosomes in *D. virilis*, 357.

Fish: analysis of fish cell line from a male sheepshead, 209; pseudolinkage of the duplicate loci for supernatant ATT in brook trout, 223; levels of duplicate gene expression in armoured catfishes, 248; linkage between a regulatory locus for melanoma cell differentiation and an esterase locus in *Xiphophorus*, 403; expression of ADH during pearl danio development, 430.

Fowl: lymphocyte capping in hereditary muscular dystrophic chickens and mice, 100; alphabetical gene list of domestic chickens, 168.

Hamsters: linkage relationship of cardiomyopathy in the Syrian, 61; LGV (cardiomyopathy and lethal gray) in Syrian, 287.

Honey bee: isogenic sperm line maintenance, 278; mosaic male produced by queens inseminated with frozen spermatozoa, 435; tests for linkage and other interactions, 452.

Isopod: genetics of albinism in *Venezillo evergladensis*, 124; genetics of a pigment polymorphism in *Porcellio dilatatus*, 158.

Mice: calcium content of various tissues from myodystrophic and dystrophic, 15; effect of *W* and $W^v$ alleles on production of tissue mast cells, 41; new black coat-color mutation in *Peromyscus*, 49; muscle deficient, a new mutation, 68; production and reproductive performance of hexaparental and octaparental chimeras, 71; total and regional vertebral numbers and lumbo-sacral morphology, 93; lymphocyte capping in hereditary muscular dystrophic chickens and mice, 100; evidence favoring control of liver and kidney arylsulfatase B activity by two regulatory elements, 161; new dwarf (*dw*) allele, 187; X-linked polydactyly (*Xpl*), 207; influence of agouti suppressor ($A^s$) mutation on expression of agouti locus alleles, 229; effects of sex and parity on spot size, 288; coat-color genetics (Rev.), 298; LG XVI assigned to chromosome 3, 315; first arch malformation—a new craniofacial mutant, 331; additional evidence for close linkage of *Amy-1* and *Amy-2*, 449.

Monkey: XX/"XO" sex determination system in Peruvian owl monkey, 336.

Mosquitoes: isolation of homozygous translocation in *Anopheles culicifacies*, 25; EMS-induced mutant, rose eye, in *Culex quinquefasciatus*, 136; three new sex-linked mutants in *Culex tarsalis* and their relationships in LGI, 195.

Onion fly: location of ADH gene using translocation tester set, 364.

Pink bollworm: X-chromosome mutation affecting expression of purple-eye gene, 437.

Rabbits: spontaneous diabetes mellitus in New Zealand White, 179.

*Rana pipiens:* genetic basis of a dorsal color polymorphism, 439.

Rats: linkage of hypodactyly and incisorless genes, 129.

Rodents: comparative molecular evolution in New World warblers and rodents, 303; genetic analysis of black pigment mutation in Mongolian gerbil, 428.

Sheep: Icelandic coat-color gene suppresses sexual activity, 363.

Tahr: giemsa-band patterns, and chromosomal evolution of the tribe Caprini, 110.

*Tribolium:* humidity dependent viability of weird eggs in *T. castaneum*, 131; genotype-environment interaction effects in long-term selected populations, 319.

Wasp: decreased diploid male viability in *Bracon hebetor*, 353.

Anthocyanin and flavonol composition of three families of poinsettia color sports, R. N. Stewart, S. Asen, D. R. Massie, and K. H. Norris, 140.

Approximate intrinsic bias in estimates of heritability based on variance component analysis, M. Grossman and H. W. Norton, 295.

Aquadro, C. F., et al., Evolutionary genetics of birds: comparative molecular evolution in New World warblers and rodents, 303.

Asen, S., et al., The anthocyanin and flavonol composition of three families of poinsettia color sports, 140.

Asman, S. M., Three new sex-linked mutants in *Culex tarsalis* and their relationships in linkage group I, 195.
Assignment of LG XVI to chromosome 3 in the mouse, E. M. Eicher and P. W. Lane, 315.
Avise, J. C., et al., Evolutionary genetics of birds: comparative molecular evolution in New World warblers and rodents, 303.

Baker, R. H., et al.: Isolation of a homozygous translocation in *Anopheles culicifacies*: selection utilizing adult polytene chromosomes and insecticide resistance, 25; An EMS-induced mutant, rose eye, in *Culex quinquefasciatus*, 136.
Banding of the somatic chromosomes of *Drosophila virilis*, W. C. Guest, 357.
Beamer, W. G. and E. M. Eicher, New mouse *dw* allele: genetic location and effects on lifespan and growth hormone levels, 187.
Beçak, W., et al., In situ localization of ribosomal genes in a natural triploid of *Odontophrynus*, 55.
Bell, A. E. and S. S. Rich, Genotype–environment interaction effects in long-term populations of *Tribolium*, 319.
Benito, C., et al., The inheritance of wheat kernel peroxidases, 416.
Berlocher, S. H., Genetics of allozymes of the apple maggot, 63.
Bloor, J. H. and M. H. Meisler, Additional evidence for the close linkage of *Amy-1* and *Amy-2* in the mouse, 449.
Blumenberg, B. and M. Spikell, Calculator programs in general genetics: III. Latter's indices of heterozygosity, population differentiation, and genetic distance, 293.
Blumenberg, B., et al., Mutant allele frequencies and genetic distance in cat populations of Pakistan and Asia, 323.
Bonaldo, M. F., et al., In situ localization of ribosomal genes in a natural triploid of *Odontophrynus*, 55.
Books reviewed: Beighton, P., Inherited Disorders of the Skeleton, 300; Dillon, L. S., The Genetic Mechanism and the Origin of Life, 299; Silvers, W. K., The Coat Colors of Mice: A Model for Gene Action and Interaction, 298.
Breakdown of self-incompatibility in *Arrhostoxylum elegans*, S. S. Raghuvanshi and C. S. Pathak, 143.
Brewer, N. L., Hair pigment patterns in different integumental environments of the mouse: influence of the agouti suppressor ($A^s$) mutation on expression of agouti locus alleles, 229.
Brown, A. H. D., Genetic basis of alcohol dehydrogenase polymorphism in *Hordeum spontaneum*, 127.
Brown, C. J., et al., Spontaneous diabetes mellitus in the New Zealand white rabbit: history, classification, and genetic analysis, 179.
Brown, M. S., Identification of the chromosomes of *Gossypium hirsutum* L. by means of translocations, 266.
Bunch, T. D. and C. F. Nadler, Giemsa-band patterns of the tahr and chromosomal evolution of the tribe Caprini, 110.

Calcium content of various tissues from myodystrophic and dystrophic mice, D. F. Nutting, A. D. MacPike, and H. Meier, 15.
Calculator programs in general genetics: III. Latter's indices of heterozygosity, population differentiation, and genetic distance, B. Blumenberg and M. Spikell, 293.
Cernosek, S. F., et al., Spontaneous diabetes mellitus in the New Zealand white rabbit: history, classification, and genetic analysis, 179.
Chaudhary, M. F., et al., Mutant allele frequencies and genetic distance in cat populations of Pakistan and Asia, 323.
Chaudhry, M., et al., An EMS-induced mutant, rose eye, in *Culex quinquefasciatus*, 136.
Chauhan, S. V. S. and R. Kumar, Gamma-rays and EMS-induced ear mutants in *Hordeum vulgare* L., 151.
Chernoff, G. F., et al., First arch malformation: a new craniofacial mutant in the mouse, 331.
Chinnici, J. P., Genetic resistance to aflatoxin $B_1$ toxicity in *Drosophila melanogaster:* chromosome substitution analysis, 275.
Choice of a wild-type standard in color genetics of domestic cattle, T. A. Olson, 442.
Chromosome behavior, embryo sac development, and fertility of *Paspalum modestum, P. boscianum,* and *P. conspersum*, C. Quarin and W. W. Hanna, 419.
Chromosome pairing relationships and black shank resistance in three *Nicotiana* interspecific hybrids, S. M. Reed and G. B. Collins, 423.
Coat-color gene suppresses sexual activity in Icelandic sheep, Ó. R. Dýrmundsson and S. Adalsteinsson, 363.
Coat-color genetics in the mouse (Rev.), M. C. Green, 298.
Collins, G. B. and S. M. Reed, Chromosome pairing relationships and black shank resistance in three *Nicotiana* interspecific hybrids, 423.
Conaway, H. H., et al., Spontaneous diabetes mellitus in the New Zealand white rabbit: history, classification, and genetic analysis, 179.
Corn, P. S., et al., The genetic basis of a dorsal color polymorphism in *Rana pipiens*, 439.
Cytogenetic survey of five breeds of cattle from Brazil, J. C. F. Moraes, M. S. Mattevi, F. M. Salzano, J. L. E. H. Poli, and B. Erdtmann, 146.
Cytology of *Glycine tabacina:* a wild hexaploid relative of the soybean, C. A. Newell and T. Hymowitz, 175.

Daniel, W. L., et al., Murine arylsulfatase B: evidence favoring control of liver and kidney activity by two regulatory elements, 161.
Dawson, P. S., et al., Humidity dependent viability of weird eggs in *Tribolium castaneum*, 131.
Decreased diploid male viability in the parasitic wasp, *Bracon hebetor*, R. M. Petters and R. V. Mettus, 353.
DeGroot, C. T., et al.: Linkage relationship of cardiomyopathy in the Syrian hamster, 61; Linkage group V in the Syrian hamster: cardiomyopathy and lethal gray, 287.
Demuth, P. and F. S. Santamour, Jr., Identification of Callery pear cultivars by peroxidase isozyme patterns, 447.
Den Nijs, T. P. M., et al., Topiary, a mutant character in *Solanum infundibuliforme*, 57.
Development of the amphidiploid of *Allium galanthum* × *A. cepa*, G. D. McCollum, 445.
Dial, S. and R. Stalter, Karyotype of *Pinus glabra* Walt., 297.
Di Fonzo, N., et al., Interaction of maize mutants floury-2 and opaque-7 with opaque-2 in the synthesis of endosperm proteins, 397.
Dominant plastome mutation in *Hosta*, K. C. Vaughn and K. G. Wilson, 203.
Doolittle, D. P., Effects of sex and parity on spot size in mice, 288.
Dornan-Kendig, K. A., et al., Effects of male genotype on some aspects of population dynamics in lozenge–Muller-5 system of *Drosophila melanogaster*, 235.
Dosik, H. and R. S. Verma, Human chromosomal heteromorphism in American blacks: I. Structural variability of chromosome 3, 441.
Duckworth, D., et al., The human sex ratio and factors influencing family size in Japan, 411.
Dunham, R. A., et al., Levels of duplicate gene expression in armoured catfishes, 248.
Dýrmundsson, Ó. R. and S. Adalsteinsson, Coat-color gene suppresses sexual activity in Icelandic sheep, 363.

Eckhardt, R. B.: Molecular evolution (Rev.), 299; Inherited skeletal disorders (Rev.), 300.
Effect of light on origin of colchicine-induced complex mutants in sorghum, M. E. Sanders and C. J. Franzke, 83.
Effect of *W* and $W^v$ alleles on production of tissue mast cells in mice, S. Go, T. Kitamura, and M. Nishimura, 41.
Effects of male genotype on some aspects of population dynamics in lozenge–Muller-5 system of *Drosophila melanogaster*, S. Polivanov, P. Peck, and K. Dornan-Kendig, 235.
Effects of sex and parity on spot size in mice, D. P. Doolittle, 288.

Eicher, E. M. and P. W. Lane, Assignment of LG XVI to chromosome 3 in the mouse, 315.
Eicher, E. M. and W. G. Beamer, New mouse *dw* allele: genetic location and effects on lifespan and growth hormone levels, 187.
Ellender, R. D., et al., Analysis of a marine fish cell line from a male sheepshead, 209.
Emmerling-Thompson, M. and M. M. Nawrocky, Genetic basis for using *Tradescantia* clone 4430 as an environmental monitor of mutagens, 261.
EMS-induced mutant, rose eye, in *Culex quinquefasciatus*, R. K. Sakai, M. Chaudhry, and R. H. Baker, 136.
Endrizzi, J. E. and G. Ramsay, Identification of ten chromosome deficiencies of cotton: cytological identification of eight chromosomes and genetic analysis of chromosome deficiencies and marker genes, 45.
Erdtmann, B., A cytogenetic survey of five breeds of cattle from Brazil, 146.
Evolutionary genetics of birds: comparative molecular evolution in New World warblers and rodents, J. C. Avise, J. C. Patton, and C. F. Aquadro, 303.
Expression of alcohol dehydrogenase during pearl danio development, J. S. Frankel, 430.
Expression of developmental abnormalities in hybrids of *Phaseolus vulgaris* L.: interaction between temperature and allelic dosage, C. T. Shii, M. C. Mok, S. R. Temple, and D. W. S. Mok, 219.
Extent and character of biochemical genetic variation in the domestic cat, S. J. O'Brien, 3.

Farris, H. E., et al., Spontaneous diabetes mellitus in the New Zealand white rabbit: history, classification, and genetic analysis, 179.
Feaster, C. V. and E. L. Turcotte, Inheritance of a leaf mutant in American Pima cotton, 134.
Fertilization in *Zea mays* by cultured gametophytes, K. Raman, D. B. Walden, and R. I. Greyson, 311.
First arch malformation: a new craniofacial mutant in the mouse, M. J. McLeod, M. J. Harris, G. F. Chernoff, and J. R. Miller, 331.
Fogleman, J. C., et al., The genetic basis of a dorsal color polymorphism in *Rana pipiens*, 439.
Fornasari, E., et al., Interaction of maize mutants floury-2 and opaque-7 with opaque-2 in the synthesis of endosperm proteins, 397.
Frankel, J. S., Expression of alcohol dehydrogenase during pearl danio development, 430.
Franzke, C. J. and M. E. Sanders, Effect of light on origin of colchicine-induced complex mutants in sorghum, 83.
Fukunaga, A., Sterility in *D. melanogaster* due to nucleo-cytoplasmic interactions, 349.

Galbraith, D. B., et al., Hair pigment patterns in different integumental environments of the mouse: influence of the agouti suppressor ($A^s$) mutation on expression of agouti locus alleles, 229.
Gamma-rays and EMS-induced ear mutants in *Hordeum vulgare* L., R. Kumar and S. V. S. Chauhan, 151.
Garber, M. J. and R. W. Allard, Mid-arm recombination fractions, 211.
Garthwaite, R. and C. Sassaman, Genetics of a pigment polymorphism in the isopod *Porcellio dilatatus*, 158.

**General Genetics**

Calculator programs: Latter's indices of heterozygosity, population differentiation, and genetic distance, 293.
Computer programs: mid-arm recombination fractions, 211.
Heritability: approximate intrinsic bias in estimates based on variance component analysis, 295.
Molecular evolution (Rev.), 299.
Gene frequencies in feral cats on Marion Island, R. J. van Aarde and T. J. Robinson, 366.
Genetic analysis of a *Chlamydomonas* mutant lacking chlorophyll, C. S. Nicholson-Guthrie and G. A. Hudock, 285.
Genetic analysis of the black pigment mutation in the Mongolian gerbil, A. D. Waring and T. W. Poole, 428.
Genetic basis for using *Tradescantia* clone 4430 as an environmental monitor of mutagens, M. Emmerling-Thompson and M. M. Nawrocky, 261.
Genetic basis of a dorsal color polymorphism in *Rana pipiens*, J. C. Fogleman, P. S. Corn, and D. Pettus, 439.
Genetic basis of alcohol dehydrogenase polymorphism in *Hordeum spontaneum*, A. H. D. Brown, 127.
Genetic polymorphisms and yield components in a population of amaranth, H. Hauptli and S. K. Jain, 290.
Genetic resistance to aflatoxin $B_1$ toxicity in *Drosophila melanogaster*: chromosome substitution analysis, J. P. Chinnici, 275.
Genetic studies of the chlorophyll biosynthetic mutants of maize, P. N. Mascia and D. S. Robertson, 19.
Genetics and cytology of the $ms_3$ male-sterile soybean, R. G. Palmer, C. W. Johns, and P. S. Muir, 343.
Genetics and ultrastructure of a dotted leaf pattern in *Hosta*, K. C. Vaughn and K. G. Wilson, 121.
Genetics of a pigment polymorphism in the isopod *Porcellio dilatatus*, C. Sassaman and R. Garthwaite, 158.
Genetics of albinism in the isopod, C. Johnson, 124.
Genetics of allozymes of the apple maggot, S. H. Berlocher, 63.
Genetics of allozyme variants in loblolly pine, W. T. Adams and R. J. Joly, 33.
Genetics of chloroplast enzymes, N. F. Weeden and L. D. Gottlieb, 392.
Genetics of the pink bollworm: an X-chromosome mutation affecting the expression of the purple-eye gene, L. E. LaChance and R. Ruud, 437.
Genotype–environment interaction effects in long-term selected populations of *Tribolium*, S. S. Rich and A. E. Bell, 319.
Giemsa-band patterns of the tahr and chromosomal evolution of the tribe Caprini, T. D. Bunch and C. F. Nadler, 110.
Go, S., et al., Effect of *W* and $W^v$ alleles on production of tissue mast cells in mice, 41.
Gottlieb, L. D. and N. F. Weeden, The genetics of chloroplast enzymes, 392.
Gray, E., et al., The human sex ratio and factors influencing family size in Japan, 411.
Green, M. C., Coat-color genetics in the mouse (Rev.), 298.
Gregory, P. E., et al., Analysis of a marine fish cell line from a male sheepshead, 209.
Greyson, R. I., et al., Fertilization in *Zea mays* by cultured gametophytes, 311.
Grossman, M. and H. W. Norton, Approximate intrinsic bias in estimates of heritability based on variance component analysis, 295.
Guest, W. C., Banding of the somatic chromsomes of *Drosophila virilis*, 357.

Hachtel, W., Maternal inheritance of chloroplast DNA in some *Oenothera* species, 191.
Hair pigment patterns in different integumental environments of the mouse: influence of the agouti suppressor ($A^s$) mutation on expression of agouti locus alleles, D. B. Galbraith, G. L. Wolff, and N. L. Brewer, 229.
Hall, R., et al., XX/"XO" sex determination system in a population of Peruvian owl monkey, *Aotus*, 336.
Hanna, W. W., Chromosome behavior, embryo sac development, and fertility of *Paspalum modestum*, *P. boscianum*, and *P. conspersum*, 419.
Haploid barley regenerated from callus cultures of *Hordeum vulgare* × *H. jubatum*, T. J. Orton, 280.

Haploid induction and its genetic mechanism in alloplasmic common wheat, M. Kobayashi and K. Tsunewaki, 9.
Harbo, J. R., Mosaic male honey bees produced by queens inseminated with frozen spermatozoa, 435.
Harris, M. J., et al., First arch malformation: a new craniofacial mutant in the mouse, 331.
Hauptli, H. and S. K. Jain, Genetic polymorphisms and yield components in a population of amaranth, 290.
Honma, S. and D. J. Werner, Inheritance of leaf geometry in cauliflower, 105.
Horner, B. E., et al., A new black coat-color mutation in *Peromyscus*, 49.
Howard-Peebles, P. N. and J. C. Pryor, The R-banding pattern of the canine karyotype, 361.
Howard-Peebles, P. N., et al., Analysis of a marine fish cell line from a male sheepshead, 209.
Hudson, L. W. and V. E. Wilson, Lentil seedcoat background color inheritance, 149.

**Human genetics**

Anatomy of the human genome; revised chromosome map, 370.
Human sex ratio and factors influencing family size in Japan, 411.
Skeletal Disorders (Rev.), 300.
Structural variability of chromosome 3 in American blacks, 441.

Hudock, G. A. and C. S. Nicholson-Guthrie, Genetic analysis of a *Chlamydomonas* mutant lacking chlorophyll, 285.
Human chromosomal heteromorphism in American blacks: I. Structural variability of chromosome 3, R. S. Verma and H. Dosik, 441.
Human sex ratio and factors influencing family size in Japan, E. Gray, D. Duckworth, and Y. Nakajima, 411.
Humidity dependent viability of weird eggs in *Tribolium castaneum*, C. E. Orr, P. S. Dawson, and R. A. Riddle, 131.
Hymowitz, T. and C. A. Newell, Cytology of *Glycine tabacina*. a wild hexaploid relative of the soybean, 175.

Identification of Callery pear cultivars by peroxidase isozyme patterns, F. S. Santamour, Jr. and P. Demuth, 447.
Identification of ten chromosome deficiencies of cotton: cytological identification of eight chromosomes and genetic analysis of chromosome deficiencies and marker genes, J. E. Endrizzi and G. Ramsay, 45.
Identification of the chromosomes of *Gossypium hirsutum* L. by means of translocations, M. S. Brown, 266.
Inheritance of a leaf mutant in American Pima cotton, E. L. Turcotte and C. V. Feaster, 134.
Inheritance of leaf geometry in cauliflower, D. J. Werner and S. Honma, 105.
Inheritance of tough rachis in crosses of *Triticum monococcum* and *T. boeoticum*, H. C. Sharma and J. G. Waines, 214.
Inheritance of wheat kernel peroxidases, C. Benito, M. Perez de la Vega, and J. Salinas, 416.
Inherited skeletal disorders (Rev.), R. B. Eckhardt, 300.
In situ localization of ribosomal genes in a natural triploid of *Odontophrynus*, I. R. G. Ruiz, M. F. Bonaldo, and W. Beçak, 55.
Interaction of maize mutants floury-2 and opaque-7 with opaque-2 in the synthesis of endosperm proteins, N. Di Fonzo, E. Fornasari, F. Salamini, R. Reggiani, and C. Soave, 397.
Interpopulation variation in rose clover: a recently introduced species in California rangelands, P. S. Martins and S. K. Jain, 29.
Investigations of the plastome of *Chlorophytum*, K. C. Vaughn, D. L. Kimpel, and K. G. Wilson, 155.
Isogenic sperm line maintenance in the honey bee, K. J. Kubasek, T. E. Rinderer, and W. R. Lee, 278.
Isolation of a homozygous translocation in *Anopheles culicifacies*: selection utilizing adult polytene chromosomes and insecticide resistance, R. H. Baker, R. K. Sakai, A. Perveen, and K. Raana, 25.

Jain, S. K. and H. Hauptli, Genetic polymorphisms and yield components in a population of amaranth, 290.
Jain, S. K. and P. S. Martins, Interpopulation variation in rose clover: a recently introduced species in California rangelands, 29.
Jain, S. K., et al., Levels of morphological and allozyme variation in Indian amaranths: a striking contrast, 283.
Johns, C. W., et al., Genetics and cytology of the *ms*$_3$ male-sterile soybean, 343.
Johnson, C., Genetics of albinism in the isopod, 124.
Joly, R. J. and W. T. Adams: Genetics of allozyme variants in loblolly pine, 33; Linkage relationships among twelve allozyme loci in loblolly pine, 199.
Jones, T. C., et al., XX/"XO" sex determination system in a population of Peruvian owl monkey, *Aotus*, 336.
Jouve, N., et al., Secondary association of univalent chromosomes in hybrids of hexaploid triticale and rye and wheat, 408.

Karyotype of *Pinus glabra* Walt., S. Dial and R. Stalter, 297.
Key lecture: V. A. McKusick, The anatomy of the human genome, 370.
Kheyr-Pour, A., Nucleo-cytoplasmic polymorphism for male sterility in *Origanum vulgare*, L., 253.
Kimpel, D. L., et al., Investigations of the plastome of *Chlorophytum*, 155.
Kitamura, Y., et al., Effect of *W* and *W*$^{v}$ alleles on production of tissue mast cells in mice, 41.
Kline, K., et al., Lymphocyte capping in hereditary muscular dystrophic chickens and mice: no evidence for a systemic membrane defect, 100.
Kobayashi, M. and K. Tsunewaki, Haploid induction and its genetic mechanism in alloplasmic common wheat, 9.
Kubasek, K. J., et al., Isogenic sperm line maintenance in the honey bee, 278.
Kumar, R. and S. V. S. Chauhan, Gamma-rays and EMS-induced ear mutants in *Hordeum vulgare* L., 151.

LaChance, L. E. and R. Ruud, Genetics of the pink bollworm: an X-chromosome mutation affecting the expression of the purple-eye gene, 437.
Ladeinde, T. A. O., et al., Segregation pattern of three different sources of male-sterile genes in *Vigna unguiculata*, 431.
Lane, P. W. and E. M. Eicher, Assignment of LG XVI to chromosome 3 in the mouse, 315.
Lane, P. W. and H. O. Sweet, X-linked polydactyly (*Xpl*), a new mutation in the mouse, 207.
Langelan, R. E., et al., Murine arylsulfatase B: evidence favoring control of liver and kidney activity by two regulatory elements, 161.
Lapushner, D., A test for uniparental maternal plasmotypic contributions to the heterotic expression of two traits in a *Nicotiana tabacum* × *N. glutinosa* hybrid, 433.
Lee, G. M., et al., Pseudolinkage of the duplicate loci for supernatant aspartate aminotransferase in brook trout, *Salvelinus fontinalis*, 223.
Lee, W. R., et al., Isogenic sperm line maintenance in the honey bee, 278.
Lentil seedcoat background color inheritance, V. E. Wilson and L. W. Hudson, 149.
Leue, E. F., et al., Topiary, a mutant character in *Solanum infundibuliforme*, 57.

Levels of duplicate gene expression in armoured catfishes, R. A. Dunham, D. P. Philipp, and G. S. Whitt, 248.
Levels of morphological and allozyme variation in Indian amaranths: a striking contrast, S. K. Jain, L. Wu, and K. R. Vaidya, 283.
Linkage between a regulatory locus for melanoma cell differentiation and an esterase locus in *Xiphophorus*, M. R Ahuja, M. Schwab, and F. Anders, 403.
Linkage group V in the Syrian hamster: cardiomyopathy and lethal gray, C. H. Yoon, C. T. deGroot, and J. S. Peterson, 287.
Linkage of the hypodactyly and incisorless genes in the Norway rat, R. Moutier, 129.
Linkage relationship of cardiomyopathy in the Syrian hamster, C. H. Yoon, C. T. deGroot, and J. S. Peterson, 61.
Linkage relationships among twelve allozyme loci in loblolly pine, W. T. Adams and R. J. Joly, 199.
Location of the ADH gene in the onion fly using a translocation tester set, C. van Heemert and I. Witteveen-Pillen, 364.
Lymphocyte capping in hereditary muscular dystrophic chickens and mice: no evidence for a systemic membrane defect, B. G. Sanders, K. Kline, and C. J. Morton, 100.

Ma, N. S. F., et al., XX/"XO" sex determination system in a population of Peruvian owl monkey, *Aotus*, 336.
Maan, S. S., Alteration of sporophytic sterility mechanism in wheat, 75.
MacPike, A. D., et al.: The calcium content of various tissues from myodystrophic and dystrophic mice, 15; Muscle deficient, a new mutation in the mouse, 68.
Markert, C. L. and R. M. Petters, Production and reproductive performance of hexaparental and octaparental mice, 71.
Martin, B. J., et al., Analysis of a marine fish cell line from a male sheepshead, 209.
Martins, P. S. and S. K. Jain, Interpopulation variation in rose clover: a recently introduced species in California rangelands, 29.
Mascia, P. N. and D. S. Robertson, Genetic studies of the chlorophyll biosynthetic mutants of maize, 19.
Massie, D. R., et al., The anthocyanin and flavonol composition of three families of poinsettia color sports, 140.
Maternal inheritance of chloroplast DNA in some *Oenothera* species, W. Hachtel, 191.
Mattevi, M. S., et al., A cytogenetic survey of five breeds of cattle from Brazil, 146.
May, B., et al., Pseudolinkage of the duplicate loci for supernatant aspartate aminotransferase in brook trout, *Salvelinus fontinalis*, 223.
McCollum, G. D., Development of the amphidiploid of *Allium galanthum* × *A. cepa*, 445.
McKusick, V. A., The anatomy of the human genome, 370.
McLeod, M. J., et al., First arch malformation: a new craniofacial mutant in the mouse, 331.
Meier, H., et al.: The calcium content of various myodystrophic and dystrophic mice, 15; Muscle deficient, a new mutation in the mouse, 68.
Meisler, M. H. and J. H. Bloor, Additional evidence for the close linkage of *Amy-1* and *Amy-2* in the mouse, 449.
Melanin inhibitor: a dominant gene in the domestic cat, P. Turner and R. Robinson, 427.
Mettus, R. V. and R. M. Petters, Decreased diploid male viability in the parasitic wasp, *Bracon hebetor*, 353.
Mid-arm recombination fractions, M. J. Garber and R. W. Allard, 211.
Miller, J. R., et al., First arch malformation: a new mutant in the mouse, 331.
Mok, D. W. S., et al., Expression of developmental abnormalities in hybrids of *Phaseolus vulgaris* L.: interaction between temperature and allelic dosage, 219.
Mok, M. C., et al., Expression of developmental abnormalities in hybrids of *Phaseolus vulgaris*, L.: interaction between temperature and allelic dosage, 219.
Molecular evolution (Rev.), R. B. Eckhardt, 299.
Montalvo, D., et al., Secondary association of univalent chromosomes in hybrids of hexaploid triticale and rye and wheat, 408.
Moraes, J. C. F., et al., A cytogenetic survey of five breeds of cattle from Brazil, 146.
Morton, C. J., et al., Lymphocyte capping in hereditary muscular dystrophic chickens and mice: no evidence for a systemic membrane defect, 100.
Mosaic male honey bees produced by queens inseminated with frozen spermatozoa, J. R. Harbo, 435.
Moutier, R., Linkage of the hypodactyly and incisorless genes in the Norway rat, 129.
Muir, P., et al., An XXY male Burmese cat, 52.
Muir, P. S., et al., Genetics and cytology of the *ms*$_3$ male-sterile soybean, 343.
Murine arylsulfatase B: evidence favoring control of liver and kidney activity by two regulatory elements, W. L. Daniel, K. Abedin, and R. E. Langelan, 161.
Muscle deficient, a new mutation in the mouse, J. E. Womack, A. MacPike, and H. Meier, 68.
Mutant allele frequencies and genetic distance in cat populations of Pakistan and Asia, M. Ahmad, B. Blumenberg, and M. F. Chaudhary, 323.

Nadler, C. F. and T. D. Bunch, Giemsa-banding patterns of the tahr and chromosomal evolution of the tribe Caprini, 110.
Nakajima, Y., et al., The human sex ratio and factors influencing family size in Japan, 411.
Narayana, D. S. and P. N. Rao, Occurrence and identification of semigamy in *Coix aquatica* (tribe Maydeae), 117.
Nawrocky, M. M. and M. Emmerling-Thompson, Genetic basis for using *Tradescantia* clone 4430 as an environmental monitor of mutagens, 261.
New black coat-color mutation in *Peromyscus*, B. E. Horner, G. L. Potter, and S. van Ooteghem, 49.
New mouse *dw* allele: genetic location and effects on lifespan and growth hormone levels, E. M. Eicher and W. G. Beamer, 187.
Newell, C. A. and T. Hymowitz, Cytology of *Glycine tabacina*: a wild hexaploid relative of the soybean, 175.
Nicholas, F. W., et al., An XXY male Burmese cat, 52.
Nicholson-Guthrie, C. S. and G. A. Hudock, Genetic analysis of a *Chlamydomonas* mutant lacking chlorophyll, 285.
Nishimura, M., et al., Effect of *W* and *W*$^{v}$ alleles on production of tissue mast cells in mice, 41.
Norris, K. H., et al., The anthocyanin and flavonol composition of three families of poinsettia color sports, 140.
Norton, H. W. and M. Grossman, Approximate intrinsic bias in estimates of heritability based on variance component analysis, 295.
Nucleo-cytoplasmic polymorphism for male sterility in *Origanum vulgare* L., A. Kheyr-Pour, 253.
Nutting, D. F., et al., The calcium content of various tissues from myodystrophic and dystrophic mice, 15.

O'Brien, S. J., The extent and character of biochemical genetic variation in the domestic cat, 3.
Occurrence and identification of semigamy in *Coix aquatica* (tribe Maydeae), P. N. Rao and D. S. Narayana, 117.
Olson, T. A., Choice of a wild-type standard in color genetics of domestic cattle, 442.
Onajole, A. A. O., et al., Segregation pattern of three different sources of male-sterile genes in *Vigna unguiculata*, 431.
Orr, C. E., et al., Humidity dependent viability of weird eggs in *Tribolium castaneum*, 131.
Orton, T. J., Haploid barley regenerated from callus cultures of *Hordeum vulgare* × *H. jubatum*, 280.
Owen, R. E. and R. C. Plowright, Abdominal pile color dimorphism in the bumble bee, *Bombus melanopygus*, 241.

Palmer, G. P., et al., Genetics and cytology of the *ms*$_3$ male-sterile soybean, 343.
Pathak, C. S. and S. S. Raghuvanshi, Breakdown of self-incompatibility in *Arrhostoxylum elegans,* 143.
Patton, J. C., et al., Evolutionary genetics of birds: comparative molecular evolution in New World warblers and rodents, 303.
Peck, P., et al., Effects of male genotype on some aspects of population dynamics in lozenge–Muller-5 system of *Drosophila melanogaster,* 235.
Peloquin, S. J., et al., Topiary, a mutant character in *Solanum infundibuliforme,* 57.
Pennycuik, P. R., Total and regional vertebral numbers and lumbosacral morphology in mice: strain differences and the effects of the brachyury gene, 93.
Perez de la Vega, M., et al., The inheritance of wheat kernel peroxidases, 416.
Perveen, A., et al., Isolation of a homozygous translocation in *Anopheles culicifacies:* selection utilizing adult polytene chromosomes and insecticide resistance, 25.
Peterson, J. S., et al.: Linkage relationship of cardiomyopathy in the Syrian hamster, 61; Linkage group V in the Syrian hamster: cardiomyopathy and lethal gray, 287.
Petters, R. M. and C. L. Markert, Production and reproductive performance of hexaparental and octaparental mice, 71.
Petters, R. M. and R. V. Mettus, Decreased diploid male viability in the parasitic wasp, *Bracon hebetor,* 353.
Pettus, D., et al., The genetic basis of a dorsal color polymorphism in *Rana pipiens,* 439.
Philipp, D. P., et al., Levels of duplicate gene expression in armoured catfishes, 248.

**Plant genetics**

*Allium:* development of amphidiploid *A. galanthum* × *A. cepa,* 445.
Amaranths: levels of morphological and allozyme variation in Indian, 283; genetic polymorphisms and yield components in a population, 290.
*Arrhostoxylum elegans:* breakdown of self-incompatibility, 143.
Barley: trisomic analysis of gene (*f3*) for chlorina 3, 359.
Cauliflower: inheritance of leaf geometry, 105.
*Chlamydomonas:* genetic analysis of mutant lacking chlorophyll, 285.
*Chlorophytum:* ultrastructure and biochemical aspects of two white plastome mutants, 155.
*Clarkia williamsonii:* genetics of chloroplast enzymes, 392.
Clover: interpopulation variation in rose, 29.
*Coix aquatica:* occurrence and identification of semigamy, 117.
Cotton: identification of ten chromosome deficiencies, 45; wrinkled leaf mutant in American Pima, 134; identification of the chromosomes of *Gossypium hirsutum* by means of translocations, 266.
Cowpea: segregation pattern of three different sources of male-sterile genes in *Vigna unguicu'ata,* 431.
*Hordeum:* genetic basis of ADH polymorphism in *H. spontaneum,* 127; gamma-rays and EMS-induced ear mutants in *H. vulgare,* 151; haploid barley regenerated from callus cultures of *H. vulgare* × *H. jubatum,* 280.
*Hosta:* genetics and ultrastructure of a dotted leaf pattern, 121; dominant plastome mutation, 203.
Lentils: seedcoat background color inheritance, 149.
Maize: chlorophyll biosynthetic mutants, 19; fertilization by cultured gametophytes, 311; interaction of mutants floury-2 and opaque-7 with opaque-2 in synthesis of endosperm proteins, 397.
*Nicotiana:* chromosome pairing relationships and black shank resistance in three interspecific hybrids, 423; test for uniparental maternal plasmotypic contributions to heterotic expression of two traits in *N. tabacum* × *N. glutinosa* hybrid, 433.
*Odontophrynus:* in situ localization of ribosomal genes in natural triploid of *O. cultripes,* 55.
*Oenothera:* maternal inheritance of chloroplast DNA, 191.
*Origanum:* nucleo-cytoplasmic polymorphism for male sterility in *O. vulgare,* 253.
*Paspalum:* chromosome behavior, embryo sac development, and fertility of *P. modestum, P. boscianum,* and *P. conspersum,* 419.
Pear: identification of Callery cultivars by peroxidase isozyme patterns, 447.
*Phaseolus:* expression of developmental abnormalities in hybrids of *P. vulgaris,* 219.
Pine: loblolly allozyme variants, 33; linkage relationships among 12 allozyme loci in loblolly, 199; karyotype of *Pinus glabra,* 297.
Poinsettia: anthocyanin and flavonol composition of three families of color sports, 140.
Rye: secondary association of univalent chromosomes in hybrids of hexaploid triticale and rye and wheat, 408.
*Solanum:* mutant character topiary in *S. infundibuliforme,* 57.
Sorghum: effect of light on origin of colchicine-induced complex mutants, 83.
Soybean: cytology of a wild hexaploid soybean relative, *Glycine tabacina,* 175; genetics and cytology of *ms*$_3$ male sterile, 343.
*Tradescantia:* genetic basis for using clone 4430 as an environmental monitor of mutagens, 261.
Triticale: secondary association of univalent chromosomes in hybrids of hexaploid triticale and rye and wheat, 408.
Wheat: genetic mechanism of induced haploids in allopiasmic *Triticum aestivum,* 9; alteration of sporophytic sterility mechanism, 75; inheritance of tough rachis in crosses of *Triticum monococcum* and *T. boeoticum,* 214; secondary association of univalent chromosomes in hybrids of hexaploid triticale and rye and wheat, 408; inheritance of kernel peroxidases, 416.

Plowright, R. C. and R. E. Owen, Abdominal pile color dimorphism in the bumble bee, *Bombus melanopygus,* 241.
Poli, J. L. E. H., et al., A cytogenetic survey of five breeds of cattle from Brazil, 146.
Polivanov, S., et al., Effects of male genotype on some aspects of population dynamics in lozenge–Muller-5 system of *Drosophila melanogaster,* 235.
Poole, T. W. and A. D. Waring, Genetic analysis of the black pigment mutation in the Mongolian gerbil, 428.
Potter, G. L., et al., A new black coat-color mutation in *Peromyscus,* 49.
Production and reproductive performance of hexaparental and octaparental mice, R. M. Petters and C. L. Markert, 71.
Pryor, J. C. and P. N. Howard-Peebles, The R-banding pattern of the canine karyotype, 361.
Pseudolinkage of the duplicate loci for supernatant aspartate aminotransferase in brook trout, *Salvelinus fontinalis,* J. E. Wright, Jr., B. May, M. Stoneking, and G. M. Lee, 223.

Quarin, C. and W. W. Hanna, Chromosome behavior, embryo sac development, and fertility of *Paspalum modestum, P. boscianum,* and *P. conspersum,* 419.

Raana, K., et al., Isolation of a homozygous translocation in *Anopheles culicifacies:* selection utilizing adult polytene chromosomes and insecticide resistance, 25.
Raghuvanshi, S. S. and C. S. Pathak, Breakdown of self-incompatibility in *Arrhostoxylum elegans,* 143.
Raman, K., et al., Fertilization in *Zea mays* by cultured gametophytes, 311.

Ramsay, G. and J. E. Endrizzi, Identification of ten chromosome deficiencies of cotton: cytological identification of eight chromosomes and genetic analysis of chromosome deficiencies and marker genes, 45.
Rao, P. N. and D. S. Narayana, Occurrence and identification of semigamy in *Coix aquatica* (tribe Maydeae), 117.
R-banding pattern of the canine karyotype, P. N. Howard-Peebles and J. C. Pryor, 361.
Reed, S. M. and G. B. Collins, Chromosome pairing relationships and black shank resistance in three *Nicotiana* interspecific hybrids, 423.
Reggiani, R., et al., Interaction of maize mutants floury-2 and opaque-7 with opaque-2 in the synthesis of endosperm proteins, 397.
Renquist, D. M., et al., XX/"XO" sex determination system in a population of Peruvian owl monkey, *Aotus*, 336.
Rich, S. S. and A. E. Bell, Genotype–environment interaction effects in long-term selected populations of *Tribolium*, 319.
Riddle, R. A., et al., Humidity dependent viability of weird eggs in *Tribolium castaneum*, 131.
Rinderer, T. E., et al., Isogenic sperm line maintenance in the honey bee, 278.
Robertson, D. S. and P. N. Mascia, Genetic studies of the chlorophyll biosynthetic mutants of maize, 19.
Robinson, R. and P. Turner, Melanin inhibitor: a dominant gene in the domestic cat, 427.
Robinson, T. J. and R. J. van Aarde, Gene frequencies in feral cats on Marion Island, 366.
Roth, S. I., et al., Spontaneous diabetes mellitus in the New Zealand white rabbit: history, classification, and genetic analysis, 179.
Ruiz, I. R. G., et al., In situ localization of ribosomal genes in a natural triploid of *Odontophrynus*, 55.
Ruud, R. and L. E. LaChance, Genetics of the pink bollworm: an X-chromosome mutation affecting the expression of the purple-eye gene, 437.

Sakai, R. K., et al.: Isolation of a homozygous translocation in *Anopheles culicifacies:* selection utilizing adult polytene chromosomes and insecticide resistance, 25; An EMS-induced mutant, rose eye, in *Culex quinquefasciatus*, 136.
Salamini, F., Interaction of maize mutants floury-2 and opaque-7 with opaque-2 in the synthesis of endosperm proteins, 397.
Salinas, J., et al., The inheritance of wheat kernel peroxidases, 416.
Salzano, F. M., et al., A cytogenetic survey of five breeds of cattle from Brazil, 146.
Sanders, B. G., et al., Lymphocyte capping in hereditary muscular dystrophic chickens and mice: no evidence for a systemic membrane defect, 100.
Sanders, L. L., et al., Spontaneous diabetes mellitus in the New Zealand white rabbit: history, classification, and genetic analysis, 179.
Sanders, M. E. and C. J. Franzke, Effect of light on origin of colchicine-induced complex mutants in sorghum, 83.
Santamour, F. S., Jr. and P. Demuth, Identification of Callery pear cultivars by peroxidase isozyme patterns, 447.
Sassaman, C. and R. Garthwaite, Genetics of a pigment polymorphism in the isopod *Porcellio dilatatus*, 158.
Schwab, M., et al., Linkage between a regulatory locus for melanoma cell differentiation and an esterase locus in *Xiphophorus*, 403.
Secondary association of univalent chromosomes in hybrids of hexaploid triticale and rye and wheat, C. Soler, D. Montalvo, and N. Jouve, 408.
Segregation pattern of three different sources of male-sterile genes in *Vigna unguiculata*, T. A. O. Ladeinde, E. Watt, and A. A. O. Onajole, 431.
Sehgal, P. K., et al., XX/"XO" sex determination system in a population of Peruvian owl monkey, *Aotus*, 336.
Shahla, A. and T. Tsuchiya, Trisomic analysis of the gene (*f3*) for chlorina 3 in barley, 359.
Sharma, H. C. and J. G. Waines, Inheritance of tough rachis in crosses of *Triticum monococcum* and *T. boeoticum*, 214.
Shii, C. T., et al., Expression of developmental abnormalities in hybrids of *Phaseolus vulgaris* L.: interaction between temperature and allelic dosage, 219.
Simeone, T., et al., XX/"XO" sex determination system in a population of Peruvian owl monkey, *Aotus*, 336.
Soave, C., et al., Interaction of maize mutants floury-2 and opaque-7 with opaque-2 in the synthesis of endosperm proteins, 397.
Soler, C., et al., Secondary association of univalent chromosomes in hybrids of hexaploid triticale and rye and wheat, 408.
Somes, Jr., R. G., Alphabetical list of the genes of domestic fowl, 168.
Spikell, M. and B. Blumenberg, Calculator programs in general genetics: III. Latter's indices of heterozygosity, population differentiation, and genetic distance, 293.
Spontaneous diabetes mellitus in the New Zealand white rabbit: history, classification, and genetic analysis, H. H. Conaway, C. J. Brown, L. L. Sanders, S. F. Cernosek, H. E. Farris, and S. I. Roth, 179.
Stalter, R. and S. Dial, Karyotype of *Pinus glabra* Walt., 297.
Sterility in *D. melanogaster* due to nucleo-cytoplasmic interactions, A. Fukunaga, 349.
Stewart, R. N., et al., The anthocyanin and flavonol composition of three families of poinsettia color sports, 140.
Stoneking, M., et al., Pseudolinkage of the duplicate aspartate aminotransferase in brook trout, *Salvelinus fontinalis*, 223.
Sweet, H. O. and P. W. Lane, X-linked polydactyly (*Xpl*), a new mutation in the mouse, 207.

Temple, S. R., et al., Expression of developmental abnormalities in hybrids of *Phaseolus vulgaris* L.: interaction between temperature and allelic dosage, 219.
Test for uniparental maternal plasmotypic contributions to the heterotic expression of two traits in a *Nicotiana tabacum* × *N. glutinosa* hybrid, D. Lapushner, 433.
Tests for linkage and other interactions in the honey bee, K. W. Tucker, 452.
Three new sex-linked mutants in *Culex tarsalis* and their relationships in linkage group I, S. M. Asman, 195.
Toll, G. L., et al., An XXY male Burmese cat, 52.
Topiary, a mutant character in *Solanum infundibuliforme*, T. P. M. den Nijs, E. F. Leue, and S. J. Peloquin, 57.
Total and regional vertebral numbers and lumbo-sacral morphology in mice: strain differences and the effects of the brachyury gene, P. R. Pennycuik, 93.
Trisomic analysis of the gene (*f3*) for chlorina 3 in barley, A. Shahla and T. Tsuchiya, 359.
Tsuchiya, T. and A. Shahla, Trisomic analysis of the gene (*f3*) for chlorina 3 in barley, 359.
Tsunewaki, K. and M. Kobayashi, Haploid induction and its genetic mechanism in alloplasmic common wheat, 9.
Tucker, K. W., Tests for linkage and other interactions in the honey bee, 452.
Turcotte, E. L. and C. V. Feaster, Inheritance of a leaf mutant in American Pima cotton, 134.
Turner, P. and R. Robinson, Melanin inhibitor: a dominant gene in the domestic cat, 427.

Vaidya, K. R., et al., Levels of morphological variation in Indian amaranths: a striking contrast, 283.
Van Aarde, R. J. and T. J. Robinson, Gene frequencies in feral cats on Marion Island, 366.
Van Heemert, C. and I. Witteveen-Pillen, Location of the ADH gene in the onion fly using a translocation tester set, 364.
Van Ooteghem, S., et al., A new black coat-color mutation in *Peromyscus*, 49.
Vaughn, K. C. and K. G. Wilson: Genetics and ultrastructure of a

dotted leaf pattern in *Hosta*, 121; A dominant plastome mutation in *Hosta*, 203.
Vaughn, K. C., et al., Investigations of the plastome of *Chlorophytum*, 155.
Verma, R. S. and H. Dosik, Human chromosomal heteromorphism in American blacks: I. Structural variability of chromosome 3, 441.

Waines, J. G. and H. C. Sharma, Inheritance of tough rachis in crosses of *Triticum monococcum* and *T. boeoticum*, 214.
Walden, D. B., et al., Fertilization in *Zea mays* by cultured gametophytes, 311.
Waring, A. D. and T. W. Poole, Genetic analysis of the black pigment mutation in the Mongolian gerbil, 428.
Watt, E., et al., Segregation pattern of three different sources of male-sterile genes in *Vigna unguiculata*, 431.
Weeden, N. F. and L. D. Gottlieb, The genetics of chloroplast enzymes, 392.
Werner, D. J. and S. Honma, Inheritance of leaf geometry in cauliflower, 105.
Whitt, G. S., et al., Levels of duplicate gene expression in armoured catfishes, 248.
Wilson, K. G. and K. C. Vaughn: Genetics and ultrastructure of a dotted leaf pattern in *Hosta*, 121; A dominant plastome mutation in *Hosta*, 203.
Wilson, K. G., et al., Investigations of the plastome of *Chlorophytum*, 155.
Wilson, V. E. and L. W. Hudson, Lentil seedcoat background color inheritance, 149.
Witteveen-Pillen, I. and C. van Heemert, Location of the ADH gene in the onion fly using a translocation tester set, 364.
Wolff, G. L., et al., Hair pigment patterns in different integumental environments of the mouse: influence of the agouti suppressor ($A^s$) mutation on expression of agouti locus alleles, 229.
Womack, J. E., et al., Muscle deficient, a new mutation in the mouse, 68.
Wright, Jr., J. E., et al., Pseudolinkage of the duplicate aspartate aminotransferase in brook trout, *Salvelinus fontinalis*, 223.
Wu, L., et al., Levels of morphological and allozyme variation in Indian amaranths: a striking contrast, 283.

X-linked polydactyly (*Xpl*), a new mutation in the mouse, H. O. Sweet and P. W. Lane, 207.
XX/"XO" sex determination system in a population of Peruvian owl monkey, *Aotus*, N. S. F. Ma, D. M. Renquist, R. Hall, P. K. Sehgal, T. Simeone, and T. C. Jones, 336.
XXY male Burmese cat, F. W. Nicholas, P. Muir, and G. L. Toll, 52.

Yoon, C. H., et al.: Linkage relationship of cardiomyopathy in the Syrian hamster, 61; Linkage group V in the Syrian hamster: cardiomyopathy and lethal gray, 287.